

Keith Krieg  
Mayor



Bob Shelton  
City Administrator

## Request for Bids

---

Sealed proposals for the purchase of one (1) white in color fully equipped 2011 F-550 four (4) wheel drive dump truck or equivalent. Bids will be received by the City of Frontenac, at Frontenac City Hall located at 10555 Clayton Road, Frontenac, MO 63131, until Monday August the 9<sup>th</sup> at 11:00 AM, at which time they will be publicly opened at the Public Works maintenance building and read aloud. Bids received after said time will be returned unopened.

Copies of the specifications are available on the City of Frontenac ([CityofFrontenac.org](http://CityofFrontenac.org)) website. No bid may be withdrawn within thirty (30) days after the scheduled closing time for receipt of bids. The City of Frontenac reserves the right to reject any and all bids and to waive any irregularities therein. Any questions or concerns should be referred to Jeff Wappelhorst, Public Works Director 314-994-0646, Public Works Department at 10555 Clayton Road, Frontenac, MO 63131.

## Dump Body, Hydraulics and Snowplow

---

1. Crysteel or equal 9' 3-yard tipper dump body paint to match cab with rigged sides
2. Understructure shall be of a cross memberless design with ½ inch welded tubing for emergency lighting wiring
3. Long rails fabricated of 7 gauge steel
4. Tail gate of 22 inches tall (height from bed)
5. Bed side height of 16 inches tall (height from the bed)
6. Bulk head Half cab shield with no open seams
7. Bulk head window optional
8. Floor of 10 gauge steel
9. Body and sides of 12 gauge steel
10. 1 ¼ inch diameter tailgate pins
11. Two way tailgate with front release
12. Scissor sub frame hoist double action
13. Body safety prop
14. Back up alarm
15. Electric tarp within cab controls including asphalt grade tarp
16. Hitch plate of ½ inch steel multi position 2 5/16 inch pintle hitch, set of D rings for safety chain hookup welded onto steel plate
17. Six way trailer lighting socket and four prong wiring hook up for spreader
18. 36 inch aluminum tool box mounted on curb side of truck frame
19. Clutch pump Hydraulic system for hoist and spreader
20. Lever control for bed and electric controls for spreader mounted in cab between seats
21. 15 gallon hydraulic reservoir minimum with filter and gate valve
22. Snow plow, 8 foot electric western ultra pro plow plus (wide out model) with hand held controls
23. Snow deflector and Rubber cutting edge installed on plow with one steel cutting edge included in delivery of truck
24. Spreader, Western Ice breaker stainless steel hydraulic driven Vee box spreader
25. All of the above to be in working condition at time of delivery

Keith Krieg  
Mayor



Bob Shelton  
City Administrator

## Cab and Chassis

---

One (1) white in color fully equipped 2011 F-550 four wheel drive dump truck or equivalent

1. 141 inch wheel base
2. GVW of 19,000 pounds
3. 6.8 L gas engine
4. Five speed transmission with over drive and tow haul mode
5. Limited slip with 4.88 axle ratio
6. Electric trailer brake controls
7. Snow plow prep package
8. Pay load up grade package
9. Vinyl bucket seats
10. Four wheel ABS
11. Running boards
12. Spare tire with wheel